

# Influence of radiotherapy on miRNA dynamics in urine extracellular vesicles

Ghadeer Salloum<sup>1</sup>, Maria Konoshenko<sup>1</sup>, Ekaterina Murina<sup>1</sup>, Ilya Ostaltsev<sup>2</sup>, Pavel Laktionov<sup>1</sup> and Olga Bryzgunova<sup>1,\*</sup>

<sup>1</sup> Institute of Chemical Biology and Fundamental Medicine, Siberian Branch, Russian Academy of Sciences, Novosibirsk 630090, Russia

<sup>2</sup> E.N. Meshalkin National Medical Research Center of the Ministry of Health of the Russian Federation, Novosibirsk 630055, Russia

\* Correspondence author; E-mail: [olga.bryzgunova@niboch.nsc.ru](mailto:olga.bryzgunova@niboch.nsc.ru).

**Table S1.** Sequences of primers and TaqMan probes used in the current study.


miRNA	Primer sequence
<b>Universal reverse primer Rev-5'-GTGCAGGGTCCGAGGT-3'</b>	
hsa-miR-19b-3p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACTCAGTT-3'
	For-5' -CGCTGTGCAAATCCATGCAA-3'
	Probe-5'-(FAM)-GCACTGGATACGACTCAGTT-(BHQ)-3'
hsa-miR-22-3p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACACAGTT3'
	For-5' -AAGCTGCCAGTTGAAG-3'
	Probe-5' -GCACTGGATACGACACAGTT-3'
hsa-miR-92a-3p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACACAGGC3'
	For-5' -CGCTATTGCACTTGTCCCG-3'
	Probe-5'-(FAM)-CGCACTGGATACGACACAGGC-(BHQ)-3'
hsa-miR-378a-3p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACGCCTTC-3'
	For-5' -GACTGGACTTGGAGTCA-3'
	Probe-5'-(FAM)-CGCACTGGATACGACAAAAGTC-(BHQ)-3'
hsa-miR-425-5p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACTCAACG3'
	For-5' -TAATGACACGATCACTCC-3'
	Probe-5'-(FAM)-CGCACTGGATACGACTCAACG-(BHQ)-3'
hsa-miR-30e-5p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACCTTCCA-3'
	For-5' -GCCCTGTAAACATCCTTGAC-3'
	Probe-5'-(FAM)-GCACTGGATACGACCTTCCA-(BHQ)-3'
hsa-miR-31-5p	RT-5' - GTCGTATCCAGTGCAGGGTCCGAGGTATTTCGCACTGGATACGACAGCTAT3'
	For-5' -CAGGCAAGATGCTGGCA-3'
	Probe-5'-(FAM)-TCGCACTGGATACGACAGCTAT-(BHQ)-3'





Copyright©2024 by the authors. Published by ELSP. This work is licensed under Creative Commons Attribution 4.0 International License, which permits unrestricted use, distribution, and reproduction in any medium provided the original work is properly cited.


Table S1. Cont.


miRNA	Primer sequence
	<b>Universal reverse primer Rev-5'-GTGCAGGGTCCGAGGT-3'</b>
hsa-miR-125b-5p	RT-5'- GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACTCACAA3' For-5'-CGTCCCTGAGACCCTAACTT-3' Probe-5'-(FAM)-GCACTGGATACGACTCACAA-(BHQ)-3'
hsa-miR-200b-3p	RT-5'- GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACTCATCA-3' For-5'-GTAATACTGCCTGGTAATG-3' Probe-5'-(FAM)-CGCACTGGATACGACTCATCA-(BHQ)-3'
hsa-miR-205-5p	RT-5'- GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACCAGACT3' For-5'-CCTCCTTCATTCCACCGGA-3' Probe-5'-(FAM)-GCACTGGATACGACCAGACT-(BHQ)-3'
hsa-miR-375-3p	RT-5'- GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACTCACGC3' For-5'-GCCCTTTGTTTCGTTCCGGCTC-3' Probe-5'-(FAM)-TCGCACTGGATACGACTCACGC-(BHQ)-3'
hsa-miR-660-5p	RT-5'- GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACCAACTC-3' For-5'-CCCATTCATATCGGAG-3' Probe-5'-(FAM)-GCACTGGATACGACCAACTC-(BHQ)-3'
hsa-miR-222-3p	RT-5'-GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACACCCAG-3' For-5'-CAGCTACATCTGGCTAC-3' Probe-5'-(FAM)-GCACGTGATACGACACCCAG-(BHQ1)-3'
hsa-miR-144-5p	RT-5'-GTCGTATCCAGTGCAGGGTCCGAGGTATTCGCACTGGATACGACCTTACAG-3' For-5'-CGGATATCATCATATACTG-3' Probe-5'-(FAM)-CGCACTGGATACGACCTTACA-(BHQ1)-3'
Cel-miR-39-3p	RT-5'-GTCGTATCCAGTGCAGGGNCCGAGGTATTCGCACNGGANACGACCAAGCN-3' For-5'-ATTCACCGGGTGTAATC-3' Probe-5'-(FAM)-CACTGGATACGACCAAGCNGA-(BHQ1)-3'




















**Figure S1.** the box plots and ROC curves of these 42 miRNA ratios.